Sanitized Copy Approved for Release 2010/01/19: CIA-RDP69B00041R000800050019-6

```
Sanitized Copy Approved for Release 2010/01/19: CIA-RDP69B00041R000800050019-6
 033
                                                                                                   WIND
                                                                                                                  DFT TH VAR
                                                                                              DIR/VEL COR
 034
                                                    LONG
                                                                           Lagarding . . .
                                                                                             1087025 P00 086
                            T009. WW 10304.8E CR 386
 036
             INS TURN POINT
                                                     1055.0N
                                                                            10806. DE ROLL IN
                                                                                                                               0.6 NM P
                            1055.1 NNBOPIPTNEE
 037
             BEØ2
                                                                                   075
                                                                           CR
                                                                                                 218/005
                                                                                                                       P00 075 -01
 038
             BFØ1
                            1141.0N 11100.0E
                                                                         CR
                                                                                   Ø75
                                                                                              218/205
                                                                                                                     P00 075
 239
             BGØI
                            1152.0N 11140.0E
                                                                         AR
                                                                                   074
                                                                                              218/005
                                                                                                                     P00 074
                                                                                                                                            -01
 040
             XAØ1
                            1158.5 N 10943.5E
                                                                         CC
                                                                                  273
                                                                                              218/005
                                                                                                                     PØØ 273
                                                                                                                                            -01
 241
             XBØI
                            1200.0N 10914.0E
                                                                        DS
                                                                                  273
                                                                                              218/005
                                                                                                                     PØØ 273
 042
             YADI
                            1055.3N 10707.8E
                                                                        CC
                                                                                  258
                                                                                              218/005
                                                                                                                     PØØ 258
                                                                                                                                           -01
 043
             YB01
                            1049. ON 10639. OE
                                                                        DS
                                                                                  258
                                                                                                108/005
                                                                                                                     PØØ 258
                                                                                                                                           -01
 844
            BHØI
                            1212.0N 11300.0E
                                                                        AR
                                                                                  076
                                                                                              218/005
                                                                                                                     P00 076
                                                                                                                                           -01
 045
046
             CAGI
                            1224.0N 11400.0E
                                                                                  878
                                                                                                38/017
                                                                                                                     PØ2 Ø80
                                                                                                                                           -01
347
                            13 05 .5 N 1165 7. 6E
                                                                        CR
                                                                                  077
                                                                                                38/017
                                                                                                                     P02 079
043
             INS TURN POINT
                                                    1306.0N
                                                                           11700.0E
                                                                                                   ROLL IN
                                                                                                                               2.2 NM P
049
            CB 02
                            1307.8N 11700.7E
                                                                                  1333
                                                                                                 38/017
                                                                                                                    P02 035
05 7
            CC@1
                           1700.0N 11940.0E
                                                                        CR
                                                                                  834
                                                                                               117/014
                                                                                                                    P02 036
05 1
            CD Ø1
                           1733.0N 12002.0E
                                                                        AR
                                                                                  Ø33
                                                                                              117/014
                                                                                                                    PØ2 Ø35
                                                                                                                                           -00
            XAØ1
052
                           1538.4N 12027.0E
                                                                        CC
                                                                                  168
                                                                                              17/014
                                                                                                                     -01 167
                                                                                                                                           -01
Ø53
            XB Ø 1
                            15 10.0N 12033.2E
                                                                       DS
                                                                                  168
                                                                                              117/014
                                                                                                                     -01 167
054
            CEUI
                            1824.0N 12038.0E
                                                                                  034
                                                                       AR
                                                                                                                    -01 933
                                                                                              234/017
                                                                                                                                           -00
055
            CFØ1
                           1840.0N 12050.0E
                                                                                  035
                                                                                              234/017
                                                                                                                    -01 834
                                                                                                                                           -00
                              the strain of the
                           2247.7N 12350:7E
                                                                       CR 034 234/017 -01 033
058
           DAØ2
                           2300.0N 12400.0E
                                                                                             267/057
                                                                                                                   -05 330
                          2445 . IN 125 18.8E
                                                                    CR
                                                                                                                    -05 029
                                                                                 03A 267/050
                                                                                             A the last to design the state of the state 
                                                               SECRET
                                            TOP
                                            TOP
                                                               SECRET
060 RLSG
                                END
                               LAT
                                                 LONG
                                                                                             DIR/VEL
                                                                        12520.0E ROLL IN
        INS TURN POINT
                                                 2446.0N
063
           DB Ø2
                          2445.7N 12520.5E
                                                                       CR.
                                                                                  Ø55
                                                                                             267/850
064
           DCØ1
                          2558.0N 12713.0E .CR
                                                                                  255
                                                                                             267/050
                                                                                                                                          PØ2
Ø65 DD Ø1
                          2616.6N 12740.1E
                                                                                  053
                                                                                              267/050
                                                                                                                                          P02
                                                                                                                            050
066 DE01 2622.0N 12743.2E
```

TOP

SECRET

TOP SECRET

TOP

DS

SECRET

053

262/049

001

TOPSECRET

ВΤ

```
Sanitized Copy Approved for Release 2010/01/19: CIA-RDP69B00041R000800050019-6
 TOPSECRET 0819012 CITE
                                  1221
  IMMEDIATE
  SECTION FOUR
  @18 152 -26 280/296 Ø.83
                             0 312
  019M
       1
          -1 340/360 0.85 100
                              312
      335 -30 200/211 0.88
  02.0
      148 -26YT PNRG
                  UOYTVD.80
                             0 312
                                          482
                                                15
  922
  023 153 -26 280/296 0.77
                            9 300
                                               120
                                     471
                                          467
  024 RIOR
      088 -26 280/296 0.77
                                300
                                     471
                                          466
                                                   NL T
  825
                                                       JHDHT 088
  280/2966 0.77 0 300
                           471
                                            466 73
  027 987 -)377408"0/296 0.77 0 300
                                       471
  028 RIOR
                                           467
  329 362 -26 289/296 0.77
                                300
                                     471
                                           467
                                                97
  030 062 -26 280/296 0.77
                             0
  Ø31 RIOR
                                           466
           -26 280/296 0.77
                                     471
  032 085
                            0 300
                     TOPECRET
                                          第二時有數數一個時度十三十四
       MR AIR END ALT MACH PC KEAS TAS
                                           GMD GMD
  033
                                           SPD DST
               PRS/TRU
835 883 1 - B& $807296 1 6.77 TO 300 471 466 1 89
  036 RION
  037 074 -26 280/296 0.77
                                           475 178
                                      498
                                           493
                                                41
      073 -26 280/296 0.80
                              8 312
           -26 357/378 8.85 100
                               337
                                      522
                                           517 114
       272
  040
                                           531
                                                29
      272 -30 200/211 0.88
                                341
                                      534
                             2
  041
                               306
                                      520
                                           516 273
           -26 360/381 0.85 100
      257
  042
                                           538
                                346
                                      534
  043
      257
           -30
               200/211 0.88
           -26 MOWIPKWOY 0.80
       975
                                312
                                      490
                                          : 493
  244
```

Sanitized Copy Approved for Release 2010/01/19: CIA-RDP69B00041R000800050019-6

25X1

25X1

			280/296	Ø.77		300	19 : CIA-	464	179	•			
347	078	-25	S80\SA0	9. 11		- 1	-9-	*					
048 F	TOR					W CL 30	. 69.65	4 PT E	Α.				
049	034	-25	280/29\$	0.77	0	300	472	476	4			4	
85 Ø	235	-24	280/295	3.77	Ø	301	173	471	279	0	470		
<b>a</b> 5 1	035	-24	280/297	0.80	9	313	192	490	39				•
Ø52	166	-24	355/376	ð.85	100	309	522	513	117				
Ø5 3	166	-23	200/210	9.68	Ø	343	537	527	29				*
254	033	-25	280/297	0.80	ø	312	491	506	61				÷
Ø53	034	-25	280/297	0.80	Ø	312	491	5.05	20				
95.6	(F)	ranks have											
057	<b>#33</b>	-25	238/295	D. 77	Ø.	300	170	100					
w58	231	-28	283/295	0.77	T)	2)8	469	500	15	. •			. 5
			280/295	0.77	15048	298	469	499	126		- (1)	i di Sala	
259	030	-28	alibation of the state						Magnification of the Artist	175			THE S
- 94m - 11 11 11 11 11 11				•	SE	Ç R	ΕΙ						
	·							GND	GND	E. T.			
868	MH	AIR	END ALT	MACH	PC	KEAS	TAS		1.7	1	*		
061		TEMP			AB			SPD	DST				
£ 62	RIOR							epino o					-
053	354	-28	P80/295	2.77	Ø	298	469	511	2				
064		-28	286/295	0.77	Ø	298	469	511	124				
Ø 65		-28			2	298	469	. 510	31				
318 163 7	1.00	-31		, v		369	539	532	S			γ.	

- (i) = (i)

```
Sanitized Copy Approved for Release 2010/01/19: CIA-RDP69B00041R000800050019-6
201
002
003
604
9015
006
007
808 IN T/O FUEL
009
010
$15
013
                                                     COMMENT
                                                RB
013
016
     100050
                      19.6
                              28
                                   195
                                                     BUDGY TACTS
                                               312
              39.9
017
      95581
                      15.9
                              33
                                   186
                                        0.1
                                               513
                                                     ARCP 1
013
      94411
                              35
              38.7
                      14.8
                                   106
      56870
919
                                                     TO TAKHLI
      88400
                              38
                                   118
                                               135
                                                     TAXHLI
02 1
      93411
              37.7
                      13.8
                              35
                                   106
                                               518
                                                     END AR 1
     161500
              45.3
                      32.0
                             MOR
                                 TO CONTINUE
      96888
      SEC
BT
```